

व.स.म.स. 01/2/42
20/3/04
12/3/04

By FAX
S.No. 7/31
S.N. 43

**GOVERNMENT OF INDIA
MINISTRY OF RAILWAYS
(RAILWAY BOARD)**

No.2003/Tele/TP/1

New Delhi Dt.09.03.2004

Controller of Stores
CORE/ALD & All Zonal Railways.

Chief Signal & Telecom Engineers,
CORE/ ALD & All Zonal Railways.

Chief Signal & Telecom Engineers (C),
All Zonal Railways

Chief Signal & Telecom Engineers (Project),
All Zonal Railways


Sub: Procurement of Quad Cable to IRS: TC-30/97.

Ref: ED/RE(Stores) letter No. RE(S) 11/98/9300/7/1 dt. 07.04.2000.

---*---

Railway Board (ML) have decided that the letter under reference is applicable for 4 Quad Cable only.

Railways may hence procure only 6 Quad (Jelly Filled) Cable to IRS: TC-30/97 for all future works.



[Signature]
(V G Ramesh Kumar)
Exe.Dir.(Telecom Development)

हिंदी अनुवाद

रेलवे बोर्ड (सदस्य बिजली) ने यह विनिश्चय किया है कि उपर्युक्त संदर्भित पत्र केवल ४ क्वाड केबल के लिए ही लागू है।

अतः रेलवे भविष्य में सभी कार्यों (works) के लिए आईआरएस:टीसी-३०/९७ के अनुसार केवल ६ क्वाड (जैली फिल्ड) केबल खरीदे।

Copy to CSTE, All Indian Railways